

Version: 2020

Date Updated: October 28, 2020

SECTION 1. ----- PRODUCT AND COMPANY IDENTIFICATION-----

Product Name Boric Acid
Product Code(s) BB0044

Recommended Use For Laboratory Research Use Only

Not for Human or Animal Drug Use

Synonyms BOROFAX* BORSAURE (GERMAN) * THREE ELEPHANT

SECTION 2. ----- HAZARDS IDENTIFICATION -----

GHS Classification

Reproductive toxicity (Category 1B), H360

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Hazard statement(s)

H360 May damage fertility or the unborn child

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3. - - - - COMPOSITION/INFORMATION ON INGREDIENTS - - - - -

Chemical Name	EC No.	CAS-No	Weight %
H3BO3	233-139-2	10043-35-3	<100

SECTION 4. ----- FIRST-AID MEASURES-----

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Indication of any immediate medical attention and special treatment needed no data available

SECTION 5. ----- FIRE FIGHTING MEASURES ------

Special hazards arising from the substance or mixture

Borane/boron oxides

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Explosion data - sensitivity to mechanical impact

no data available

Explosion data - sensitivity to static discharge

no data available

SECTION 6. ----- ACCIDENTAL RELEASE MEASURES-----

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal

Reference to other sections

For disposal see section 13

SECTION 7. ----- HANDLING AND STORAGE-----

Precautions for safe handling

Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.

Keep container tightly closed in a dry and well-ventilated place. Moisture sensitive. Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated

SECTION 8. - - - - EXPOSURE CONTROLS/PERSONAL PROTECTION - - - -

Control parameters

Components with workplace control parameters

Component s	CAS-No.	Value	Control parameters	Basis
Boric acid	10043-35- 3	TWA	2 mg/m3	Canada. British Columbia OEL
Remarks				
		STEL	6 mg/m3	Canada. British Columbia OEL
		TWA	2 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		STEL	6 mg/m3	USA. ACGIH Threshold Limit Values (TLV)

Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Splash contact Material: Nitrile rubber

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9. - - - - - PHYSICAL AND CHEMICAL PROPERTIES - - - - -

Appearance

Form crystalline
Colour white

Safety data

pH 5.1 at 1.8 g/l at 25 °C (77 °F)

Melting point/range: 160 °C (320 °F) - dec

point/freezing point

Boiling point 300 °C 572 °F

Flammability (solid

, gas) The product is not flammable. - Flammability (solids)

Flash point no data available Ignition temperature no data available Auto-ignition no data available

temperature

Lower explosion limit no data available

Upper explosion limit no data available

Vapour pressure < 0.1 hPa at 25 °C (77 °F) - Regulation (EC) No. 440/2008, Annex, A.4

7 hPa (5 mmHg) at 92 °C (198 °F)

Vapour density No data available

Relative Density 1.49 g/cm3 at 23 °C (73 °F) -

Water solubility 49.2 g/l at 20 °C (68 °F) - Regulation (EC) No. 440/2008, Annex, A.6 - completely

soluble

Partition coefficient: octanol/water

og Pow: -1.09 at 22 °C (72 °F) - Regulation (EC) No. 440/2008, Annex, A.8 -

n-

Bioaccumulation is not expected.

Relative vapour no data available

Odour odouriess

Odour Threshold no data available

Evapouration rate no data available

Other safety information

Dissociation constant 8.94 at 20 °C (68 °F) - OECD Test Guideline 112

SECTION 10. ------STABILITY AND REACTIVITY -----

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

no data available

Conditions to avoid

Exposure to moisture

Incompatible Materials

Potassium, Acid anhydrides, Strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Borane/boron oxides Other decomposition products - No data available In the event of fire: see section 5

SECTION 11. ----- TOXICOLOGICAL INFORMATION -----

Acute toxicity

Oral LD50

LD50 Oral - Rat - male and female - 3,450 mg/kg

Remarks: (ECHA)

Inhalation LC50

LC50 Inhalation - Rat - male and female - 4 h - > 2.12 mg/l (OECD Test Guideline 403)

Dermal LD50

LD50 Dermal - Rabbit - male and female - > 2,000 mg/kg

Remarks: (ECHA)

Other information on acute toxicity

no data available

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 24 h

Remarks: (ECHA)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 24 h (OECD Test Guideline 405)

Respiratory or skin sensitisation

Buehler Test - Guinea pig

Result: negative (OECD Test Guideline 406)

Chinese hamster ovary cells

Result: negative

(ECHA) Ames test S. typhimurium

Result: negative

In vitro mammalian cell gene mutation test

mouse lymphoma cells Result: negative

OECD Test Guideline 474 Mouse - male and female

Result: negative

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

Reproductive toxicity

May damage fertility.

May damage the unborn child

Teratogenicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

Aspiration hazard

no data available

Synergistic effects

no data available

Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 2 yr - No observed adverse effect level - 17.5 mg/kg - Lowest observed adverse effect level - 58.5 mg/kg

RTECS: ED4550000

Toxicity reported for borates in humans: ingestion or absorption may cause nausea, vomiting, diarrhea, abdominal cramps, anderythematous lesions on the skin and mucous membranes. Other symptoms include: circulatory collapse, tachycardia, cyanosis, delirium, convulsions, and coma. Death has been reported to occur in infants from less than 5 grams and in adults from 5 to 20 grams. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Liver - Irregularities - Based on Human Evidence

SECTION 12. ----- ECOLOGICAL INFORMATION -----

Toxicity

Toxicity to fish LC50 - Ptychocheilus lucius - 279 mg/l - 96 h

Remarks: (ECOTOX Database)

Toxicity to daphnia

Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects

no data available

SECTION 13. ----- DISPOSAL CONSIDERATIONS -----

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

SECTION 14. ----- TRANSPORT INFORMATION -----

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

SECTION 15. ----- REGULATORY INFORMATION -----

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

SECTION 16. ----- OTHER INFORMATION-----

Further information: no limited for paper copy, just for internal uses.

For research use only. Not intended for human or animal diagnostic or therapeutic uses.

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

Issuing Date: 28-Oct-2020

End of SDS

QF26 Rev 2