




## Goat Anti-Canine IgG(H+L)

Cat. No.	Format	Size
6070-01	Purified (UNLB)	1.0 mg
6070-02	Fluorescein (FITC)	1.0 mg
6070-04	Alkaline Phosphatase (AP)	1.0 mL
6070-05	Horseradish Peroxidase (HRP)	1.0 mL
6070-08	Biotin (BIOT)	1.0 mg
6070-30	Alexa Fluor <sup>®</sup> 488 (AF488)	1.0 mg



ELISA plate was coated with purified canine IgG. Immunoglobulin was detected with Goat Anti-Canine IgG(H+L)-AP (SB Cat. No. 6070-04).

### Description

<b>Specificity</b>	Reacts with the heavy and light chains of canine IgG
<b>Source</b>	Pooled antisera from goats hyperimmunized with canine IgG
<b>Cross Adsorption</b>	None; may react with immunoglobulins from other species and the light chains of other canine immunoglobulins
<b>Purification</b>	Affinity chromatography on canine IgG covalently linked to agarose

### Applications

Quality tested applications include –

ELISA<sup>1,2</sup>  
FLISA

Other referenced applications include –

IHC-FS<sup>3</sup>  
ICC<sup>4</sup>  
WB<sup>5-8</sup>

### Working Dilutions

<b>ELISA</b>	AP conjugate	1:2,000 – 1:4,000
	HRP conjugate	1:4,000 – 1:8,000
	BIOT conjugate	1:5,000 – 1:20,000
<b>FLISA</b>	FITC and AF488 conjugates	1:200 – 1:400
<b>Other Applications</b>	Since applications vary, you should determine the optimum working dilution for the product that is appropriate for your specific need.	

**For Research Use Only. Not for Diagnostic or Therapeutic Use.**

## Handling and Storage

---

- The purified (UNLB) antibody is supplied as 1.0 mg purified immunoglobulin in 1.0 mL of borate buffered saline, pH 8.2. *No preservatives or amine-containing buffer salts added.* Store at 2-8°C.
- The fluorescein (FITC) and Alexa Fluor® 488 (AF488) conjugates are supplied as 1.0 mg in 1.0 mL of PBS/NaN<sub>3</sub>. Store at 2-8°C.
- The alkaline phosphatase (AP) conjugate is supplied as 1.0 mL in a stock solution of 50 mM Tris/1 mM MgCl<sub>2</sub>/50% glycerol, pH 8.0, containing NaN<sub>3</sub> as preservative. Store at 2-8°C or long-term at -20°C.
- The horseradish peroxidase (HRP) conjugate is supplied as 1.0 mL in a stock solution of 50% glycerol/50% PBS, pH 7.4. *No preservative added.* Store at 2-8°C or long-term at -20°C.
- The biotin (BIOT) conjugate is supplied as 1.0 mg in 2.0 mL of PBS/NaN<sub>3</sub>. Store at 2-8°C.
- Protect fluorochrome-conjugated forms from light. Reagents are stable for the period shown on the label if stored as directed.

## Warning

---

Some reagents contain sodium azide. Please refer to product specific SDS.

## References

---

1. Kakkis E, Lester T, Yang R, Tanaka C, Anand V, Lemontt J, et al. Successful induction of immune tolerance to enzyme replacement therapy in canine mucopolysaccharidosis I. *Proc Natl Acad Sci USA.* 2004;101:829-34. (ELISA)
2. Dickson P, Peinovich M, McEntee M, Lester T, Le S, Krieger A, et al. Immune tolerance improves the efficacy of enzyme replacement therapy in canine mucopolysaccharidosis I. *J Clin Invest.* 2008;118:2868-76. (ELISA)
3. Wiberg ME, Saari SA, Westermarck E, Meri S. Cellular and humoral immune responses in atrophic lymphocytic pancreatitis in German shepherd dogs and rough-coated collies. *Vet Immunol Immunopathol.* 2000;76:103-15. (IHC-FS)
4. Ulchar I, Celeska I, Stefanovska J, Jakimovska A. Hematological and biochemical parameters in symptomatic and asymptomatic leishmaniaseropositive dogs. *Mac Vet Rev.* 2015;38:i-viii. (ICC)
5. Mathis A, Åkerstedt J, Tharaldsen J, Ødegaard Ø, Deplazes P. Isolates of *Encephalitozoon cuniculi* from farmed blue foxes (*Alopex lagopus*) from Norway differ from isolates from Swiss domestic rabbits (*Oryctolagus cuniculus*). *Parasitol Res.* 1996;82:727-30. (WB)
6. Rasmussen UB, Benchaibi M, Meyer V, Schlesinger Y, Schughart K. Novel human gene transfer vectors: evaluation of wild-type and recombinant animal adenoviruses in human-derived cells. *Hum Gene Ther.* 1999;10:2587-99. (WB)
7. Müller-Doblies UU, Herzog K, Tanner I, Mathis A, Deplazes P. First isolation and characterisation of *Encephalitozoon cuniculi* from a free-ranging rat (*Rattus norvegicus*). *Vet Parasitol.* 2002;107:279-85. (WB)
8. Burk SV. Detection of antibodies against *Parascaris equorum* excretory-secretory antigens [dissertation]. Lexington (USA): University of Kentucky, 2013 (WB)

Alexa Fluor® 488, 647, and 555 are provided under an Intellectual property license from Life Technologies Corporation. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The buyer cannot sell or otherwise transfer (a) this product (b) its components or (c) materials made using this product or its components to a third party or otherwise use this product or its components or materials made using this product or its components for Commercial Purposes. Commercial Purposes means any activity by a party for consideration and may include, but is not limited to: (1) use of the product or its components in manufacturing; (2) use of the product or its components to provide a service, information, or data; (3) use of the product or its components for therapeutic, diagnostic or prophylactic purposes; or (4) resale of the product or its components, whether or not such product or its components are resold for use in research. For information on purchasing a license to this product for any other use, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad, CA 92008 USA or [outlicensing@lifetech.com](mailto:outlicensing@lifetech.com).