




## Rabbit Anti-Goat IgG Fc

Cat. No.	Format	Size
6163-01	Purified (UNLB)	0.5 mg
6163-05	Horseradish Peroxidase (HRP)	1.0 mL



ELISA plate was coated with purified goat IgG Fc and IgG Fab. Immunoglobulins were detected with serially diluted Rabbit Anti-Goat IgG Fc-HRP (SB Cat. No. 6163-05).

### Description

<b>Specificity</b>	Reacts with the Fc region of goat IgG
<b>Source</b>	Pooled antisera from rabbits hyperimmunized with goat IgG Fc
<b>Cross Adsorption</b>	Goat IgG Fab; may react with immunoglobulins from other species
<b>Purification</b>	Affinity chromatography on goat IgG covalently linked to agarose

### Applications

Quality tested applications include –  
ELISA

### Working Dilutions

<b>ELISA</b>	Purified (UNLB) antibody	≤ 1 µg/mL
	HRP conjugate	1:2,000 – 1:4,000

**Other Applications** Since applications vary, you should determine the optimum working dilution for the product that is appropriate for your specific need.

### Handling and Storage

- The purified (UNLB) antibody is supplied as 0.5 mg purified immunoglobulin in 1.0 mL of borate buffered saline, pH 8.2. No preservatives or amine-containing buffer salts added. Store at 2-8°C.
- The horseradish peroxidase (HRP) conjugate is supplied as 1.0 mL of stock solution in 50% glycerol/50% PBS, pH 7.4. No preservative added. Store at 2-8°C or long-term at -20°C.
- Reagents are stable for the period shown on the label if stored as directed.

**For Research Use Only. Not for Diagnostic or Therapeutic Use.**

TB6163  
29-Dec-16